

# Renault CAPTUR

Capture your senses



#### Capture your senses

After turning heads on the streets of Russia, Argentina, Brazil and beyond, the Renault CAPTUR now makes its way to India. Bearing the distinctive expressive styling that is a hallmark of its rich lineage, the Renault CAPTUR is a whole new class of vehicle – India's first premium SUV with crossover DNA.

The longest and widest car in its category with best-in-class ground clearance of 210 mm, the CAPTUR is both imposing and distinctive. The dual tone sculpted roof<sup>^</sup>, chrome studded front grille and Innovative Lighting System enhance its visual appeal, and are a nod to Renault's commitment to detail. On the inside, it's just as captivating. Plush ErgoDesign leather seats<sup>\*</sup> complement state-of-the-art technology features like the Intelligent ULC 3.0 to create an experience that truly captures your senses.

\*Composite leather seats. \*In selected colours.



## A unique lighting signature



The Renault CAPTUR's Innovative Lighting System (ILS) brings a new dimension to automotive illumination. It comprises of segment-first Sparkle Full LED headlamps that produce an enhanced light output, while being highly energy efficient. ILS also extends to the iconic C-shaped Sapphire LED DRLs, unique Floating Indicators, Ripple tail lamps and LED ambient lighting on the inside. Together, they give the CAPTUR a truly recognisable lighting signature.




## Designed to inspire awe



The Renault CAPTUR blends a bold, assertive presence with expressive styling. Distinctive design details like the R17 Crystal Cut alloys and chrome studded front grille accentuate the car's dynamic lines. Furthermore, the chrome jewel body side cladding and chrome accents on the rear embellisher and exhaust, add a touch of flair.

# Captivating inside out



The Renault CAPTUR's expressive design is carried forward on the inside. The Global First CAPTUR PLATINE features ultra-premium interiors with rich ivory leather and contrast gold deco stitching. The ErgoDesign Leather Seats\* are 6-way adjustable and come with ample legroom in both the front and back rows. Together with a high driving position that offers wraparound panoramic visibility, the CAPTUR delivers unmatched comfort. This is further complemented by thoughtful and convenient storage spaces, and a 392-litre boot that's expandable up to 1352 litres.





#### Intelligence meets intuition





The Renault CAPTUR brings to life the OneIntegration concept that seamlessly connects car and driver. A unique Smart Access Card helps you ease into a world that's connected and convenient. OneIntegration further extends to the advanced Infinity Instrument Cluster, the Intelligent ULC 3.0 with rear parking camera and the Auto AC with surround white illumination that ensures the cabin is always optimally cooled – both in the front and back rows.

#### Power meets safety



The Renault CAPTUR comes in two engine options - the legendary K9K 1.5L diesel engine (110 PS power, 240 Nm torque) and the responsive H4K 1.5L petrol engine (106 PS power, 142 Nm torque). Perfectly blending power with efficiency, the CAPTUR delivers a dynamic drive experience. Complementing this, is a host of advanced safety features. State-of-the-art technologies like Cruise Control, Speed Limiter and steering wheel controls are accompanied by advanced features like auto headlamps and rain sensing wipers to keep you prepared for all conditions. Further supported by front and side airbags, ABS + EBD + Brake Assist and a reinforced body shell for increased torsional rigidity, the CAPTUR ensures you're always safe.

#### Colour Zone

#### **Dual Tone**



CAYENNE ORANGE BODY WITH MYSTERY BLACK ROOF

PLATINE	RXT	RXL	RXE
$\checkmark$	$\checkmark$	_	_









PLATINE	RXT	RXL	RXE
_	$\checkmark$	_	_

#### FEATURES

RXE	RXL		PLATINE
		RXT	PLATINE
1	✓	1	1
•	•	•	•
✓	✓	✓	✓
	•	•	<u> </u>
	·		
-	Only Diesel		Only Diesel
✓	✓	<u> </u>	<u> </u>
-	-	✓	✓
✓	✓	✓	✓
	·	•	✓
			Front & Rear
<b></b>	<b>✓</b>		With Lamp
<u>·</u>	<u> </u>	<u> </u>	
✓	✓	LED	LED
✓	✓	✓	With Illumination
✓	✓	✓	✓
✓	✓	✓	Leather
✓	-	-	=
_	✓	With Navigation	With Navigation
✓	✓		<b>✓</b>
-	•	·	<u>√</u>
-	<b>✓</b>	✓	
./	1	./	1
•	•	•	·
-	✓	✓	✓
✓	✓	✓	✓
		·	
			With Chrome Upper Accent
			with Chrome Opper Accent
		- With Chiome Dezer	
✓	<b>√</b>	✓	✓
-	-	-	✓
-	-	✓	✓
✓	✓	✓	✓
			(except for Planet Grey Roof
	<b>√</b>	✓	✓
<u> </u>	- /	-	
	v		
	Matt Black Tane		Matt Black Tape
-	-	√ riatt black rape	√ Indit black rape
	✓	✓	✓
Black	Chrome Jewel	Chrome Jewel	Chrome Jewel
-			✓
		abric with Rouge Passi	on White with
Fabric			
Fabric	&		ches Gold Deco Stitches
Fabric - Black			
		✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	√         √         √           -         √         √           -         Only Diesel         Only Diesel           -         -         √           √         √         √           -         -         √           √         √         √           √         √         √           -         -         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √         √           √         √

Leather grant pitt from		RXE	RXL	RXT	PLATINE	
Eacher pear shift hook   Feature	eather wranned steering wheel		- KAL		PLATINE /	
Exclusive PLATINE badge on steering wheel & fender   Black & borny   Black &			-	-	· /	
Black & Normy		_	-	-	<u>·</u>	
Anodized   Anodized   Anodized   Or Black   Chrome Brilliant   Chulder Bringht   C		Black & Ivory	Black & Ivory	Black & Ivory	Exclusive PLATINE White & Gold	
Black   Black   Black   Brance   Bran	nterior deco accents*		Piano Black & Ivory Anodized			
Fabric   F	ear shift bellow surround				Exclusive PLATINE	
SARETY SECURITY   STANDARD   ST	eat upholstery	Fabric	Fabric		Ivory Leather with Gold	
One bouch hane change indicator it is dujustable power steering impact sensing auto door unlock y y y y y y y y y y y y y y y y y y y						
Till adjustable power steering Impact sensing auto door lock						
Impact sensing auto door unlock						
Speed searing auto door lock						
Speed sersing auto Goor lock   Driver seat better mimmedilizer		✓	✓	✓	✓	
Immobilizer		•	•	•	•	
ED Front fog lamps						
Sear Wigher & Washer						
Sear parking sensors		-	-	✓	With Cornering Functio	
Common		✓	✓	✓		
S + EBD + BA (Brake Assist)		-	✓	✓	✓	
### ACCES CATE OF KEYERS passive entry		-	-	✓	✓	
mart Acces Card for keyless passive entry   -		✓	✓	✓	✓	
Vall Away Lock         -		✓	✓	-	-	
river & Bassenger air bags         V         V         V         V         Color of the Color		-	-	✓	✓	
Ide air bags						
Electronic Stability Control (ESC)		✓	✓	✓	✓	
Ill start assist			-	-	✓	
utomatic headlamps         -         -         ✓		-	-			
ain sensing wippers		-	-	-	✓	
COFIX - Child seat anchor		-	-	✓	✓	
Price   Pric		-		✓	✓	
Selection   Sele		·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
1.5 H4K Petrol	Driver & co-driver neight adjustable seat beits	✓	✓	✓	✓	
1.5 K9K dCi Diesel	ENGINES					
TECHNICAL SPECIFICATIONS  ENGINE AND TRANSMISSION  1.5 H4K Petrol  1498  1461  Number of cylinders  4 cylinder in-line  4 cylinder in-line  Max. engine power  106 P5 © 5600 RPM  110 P5 © 3550 RPM  Max. engine torque  142 Nm @ 4000 RPM  240 Nm @ 1750 RPM  Transmission type  5-Speed Manual Transmission  6-Speed Manual Transmission  Fuel efficiency (Km/L) <sup>®</sup> 5-Speed Manual Transmission  Fuel efficiency (Km/L) <sup>®</sup> 13.87 Km/L  20.37 Km/L  STEERING  Type  Power Steering  SUSPENSION  Front  Mac Pherson strut with Lower Transverse link, coil spring Rear  Twist beam suspension with coil spring twin tube; Telescopic shock absorber  BRAKE  Front  Disc  Rear  Drum  WHEELS AND TYRES  Tyre size  215/65 R16 (RXE & RXL)  Wheel rim size  215/60 R17 (RXT & PLATINE)  DIMENSIONS AND CAPACITIES  Overall length (mm)  4329  Overall length (mm)  1619  Wheelbase (mm)  2673	1.5 H4K Petrol	✓	✓	✓	-	
ENGINE AND TRANSMISSION         1.5 H4K Petrol         1.5 K9K dCi Diesel           Displacement (cc)         1498         1461           Number of cylinders         4 cylinder in-line         4 cylinder in-line           Max. engine power         106 PS @ 5600 RPM         110 PS @ 3850 RPM           Max. engine torque         142 Nm @ 4000 RPM         240 Nm @ 1750 RPM           Transmission type         5-Speed Manual Transmission         6-Speed Manual Transmission           Fuel efficiency (Km/L) <sup>il</sup> 13.87 Km/L         20.37 Km/L           STEERING           Type         Power Steering           SUSPENSION           Front         Mac Pherson strut with Lower Transverse link, coil spring           Rear         Twist beam suspension with coil spring twin tube; Telescopic shock absorber           BRAKE         Disc           Front         Disc           Rear         2 15/65 R16 (RXE & RXL)           WHEELS AND TYRES         2 15/65 R16 (RXE & RXL)           Wheel rim size         2 15/65 R16 (RXE & RXL)           Doverall length (mm)         4329           Overall width (mm)         1813           Overall width (mm)         1619           Wheelbase (mm)         263	1.5 K9K dCi Diesel	✓	✓	✓	✓	
ENGINE AND TRANSMISSION         1.5 H4K Petrol         1.5 K9K dCi Diesel           Displacement (cc)         1498         1461           Number of cylinders         4 cylinder in-line         4 cylinder in-line           Max. engine power         106 PS @ 5600 RPM         110 PS @ 3850 RPM           Max. engine torque         142 Nm @ 4000 RPM         240 Nm @ 1750 RPM           Transmission type         5-Speed Manual Transmission         6-Speed Manual Transmission           Fuel efficiency (Km/L) <sup>il</sup> 13.87 Km/L         20.37 Km/L           STEERING           Type         Power Steering           SUSPENSION           Front         Mac Pherson strut with Lower Transverse link, coil spring           Rear         Twist beam suspension with coil spring twin tube; Telescopic shock absorber           BRAKE         Disc           Front         Disc           Rear         2 15/65 R16 (RXE & RXL)           WHEELS AND TYRES         2 15/65 R16 (RXE & RXL)           Wheel rim size         2 15/65 R16 (RXE & RXL)           Doverall length (mm)         4329           Overall width (mm)         1813           Overall width (mm)         1619           Wheelbase (mm)         263	TECHNICAL SPECIFICATIONS					
Displacement (cc)         1498         1461           Number of cylinders         4 cylinder in-line         4 cylinder in-line           Max. engine power         106 PS © 5600 RPM         110 PS © 3850 RPM           Max. engine torque         142 Nm @ 4000 RPM         240 Nm @ 1750 RPM           Transmission type         5-Speed Manual Transmission         6-Speed Manual Transmission           Fuel injection system         Multi Point Fuel Injection         Common Rail Direct Injection           Fuel efficiency (Km/L) <sup>a</sup> 13.87 Km/L         20.37 Km/L           STEERING           Type         Power Steering           SUSPENSION           Front         Mac Pherson strut with Lower Transverse link, coil spring           Rear         Twist beam suspension with coil spring vian tube; Telescopic shock absorber           BRAKE           Front         Disc           Rear         Drum           WHEELS AND TYRES           Tyre size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813           Overall width (mm)		1 F HAV Detuck		1 E NOV 4C:	Discal	
Number of cylinders         4 cylinder in-line         4 cylinder in-line           Max. engine power         106 PS @ 5600 RPM         110 PS @ 3850 RPM           Max. engine torque         142 Nm @ 4000 RPM         240 Nm @ 1750 RPM           Transmission type         5-Speed Manual Transmission         6-Speed Manual Transmission           Fuel injection system         Multi Point Fuel Injection         Common Rail Direct Injection           Fuel fifciency (Km/L) <sup>4</sup> 13.87 Km/L         20.37 Km/L           STEERING           Type         Power Steering           SUSPENSION           Front         Mac Pherson strut with Lower Transverse link, coil spring           Rear         Twist beam suspension with coil spring twin tube; Telescopic shock absorber           BRAKE           Front         Disc           Rear         Disc           Rear         Drum           WHEELS AND TYRES           Syres size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813						
Max. engine power 106 PS © 5600 RPM 110 PS © 3850 RPM  Max. engine torque 142 Nm @ 4000 RPM 240 Nm @ 1750 RPM  Transmission type 5-Speed Manual Transmission 6-Speed Manual Transmission Truel efficiency (Km/L) <sup>4</sup> 13.87 Km/L 20.37 Km/L  STEERING  Type Power Steering SUSPENSION  Tront Mac Pherson strut with Lower Transverse link, coil spring Teaer Twist beam suspension with coil spring twin tube; Telescopic shock absorber  BRAKE  Tront Disc Rear Drum  WHEELS AND TYRES  Type 2 215/65 R16 (RXE & RXL) Wheel rim size 2 215/60 R17 (RXT & PLATINE)  DIMENSIONS AND CAPACITIES  Overall width (mm) 4329  Overall width (mm) 1619 Wheelbase (mm) 1619 Wheelbase (mm) 2673	Displacement (cc)	1498		1461		
Max. engine torque 142 Nm @ 4000 RPM 240 Nm @ 1750 RPM Transmission type 5-Speed Manual Transmission 6-Speed Manual Transmission Fuel injection system Multi Point Fuel Injection Common Rail Direct Injection Fuel efficiency (Km/L) <sup>ii</sup> 13.87 Km/L 20.37 Km/L  STEERING Type Power Steering SUSPINSION Front Mac Pherson strut with Lower Transverse link, coil spring Rear Twist beam suspension with coil spring twin tube; Telescopic shock absorber  BRAKE Front Disc Rear Drum WHEELS AND TYRES Tyre size 215/65 R16 (RXE & RXL) Wheel rim size 215/60 R17 (RXT & PLATINE)  DIMENSIONS AND CAPACITIES  Overall length (mm) 4329 Overall width (mm) 1619 Wheelbase (mm) 2673	Number of cylinders	4 cylinder in-line		4 cylinder i	n-line	
Max. engine torque 142 Nm @ 4000 RPM 240 Nm @ 1750 RPM Transmission type 5-Speed Manual Transmission 6-Speed Manual Transmission fuel injection system Multi Point Fuel Injection Common Rail Direct Injection fuel efficiency (Km/L) <sup>st</sup> 13.87 Km/L 20.37 Km/L  STEERING Type Power Steering SUSPINSION  Transt Mac Pherson strut with Lower Transverse link, coil spring Rear Twist beam suspension with coil spring twin tube; Telescopic shock absorber  BRAKE Tront Disc Rear Drum WHEELS AND TYRES Tyre size 215/65 R16 (RXE & RXL) Wheel rim size 215/60 R17 (RXT & PLATINE)  DIMENSIONS AND CAPACITIES  Overall length (mm) 4329 Overall width (mm) 1813 Overall width (mm) 1619 Wheelbase (mm) 2673	Max, engine power	106 PS @ 5600 RP	М	110 PS @ 38	50 RPM	
Fransmission type  5-Speed Manual Transmission Multi Point Fuel Injection Fuel Injection system Multi Point Fuel Injection  To Power Steering Mac Pherson strut with Lower Transverse link, coil spring Mac Pherson strut with Lower Transverse link, coil spring Mac Pherson with coil spring twin tube; Telescopic shock absorber  Tont Mac Pherson with coil spring twin tube; Telescopic shock absorber  BRAKE Front Mear  Tont Multi Point Fuel Mac Pherson strut with Lower Transverse link, coil spring Mac Pherson with coil spring twin tube; Telescopic shock absorber  BRAKE Front Multi Sample Source  Tont Multi Point Fuel Mac Pherson strut with Lower Transverse link, coil spring Mac Pherson with coil spring twin tube; Telescopic shock absorber  BRAKE Front Mac Pherson strut with Lower Transverse link, coil spring Mac Pherson strut with Lower Transverse link, coil spring Mac Pherson with coil spring twin tube; Telescopic shock absorber  BRAKE Twist beam suspension with coil spring twin tube; Telescopic shock absorber  Brake Tont Mac Pherson strut with Lower Transverse link, coil spring Mac Pherson strut with Lower Transverse link, coil spring Twist beam suspension with coil spring twin tube; Telescopic shock absorber  Brake Twist beam suspension with coil spring twin tube; Telescopic shock absorber Twist beam suspension with coil spring twin tube; Telescopic shock absorber  Brake Twist beam suspension with coil spring twin tube; Telescopic shock absorber Twist beam suspension with coil spring twin tube; Telescopic shock absorber Twist beam suspension with coil spring twin tube; Telescopic shock absorber Twist beam suspension with coil spring twin tube; Telescopic shock absorber Twist beam suspension with coil spring twin tube; Telescopic shock absorber Twist beam suspension with coil spring twin tube; Telescopic shock absorber Twist beam suspension with coil spring twin tube; Telescopic shock						
Fuel injection system Multi Point Fuel Injection Common Rail Direct Injection Fuel Injection System Injection System Injection System Injection System Injection System Injection System Injection						
Fuel efficiency (Km/L) <sup>st</sup> 13.87 Km/L  20.37 Km/L  2						
STEERING           Type         Power Steering           SUSPENSION           Front         Mac Pherson strut with Lower Transverse link, coil spring           Rear         Twist beam suspension with coil spring twin tube; Telescopic shock absorber           BRAKE           Front         Disc           Rear         Drum           WHEELS AND TYRES           Type size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813           Overall width (mm)         1619           Wheelbase (mm)         2673			tion			
Type         Power Steering           SUSPENSION         Mac Pherson strut with Lower Transverse link, coil spring           Rear         Twist beam suspension with coil spring twin tube; Telescopic shock absorber           BRAKE         Disc           Front         Drum           WHEELS AND TYRES         Verall (RXE & RXL)           Wheel rim size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES         Verall length (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673	Fuel efficiency (Km/L)#	13.87 Km/L		20.37 Kr	n/L	
Type         Power Steering           SUSPENSION         Mac Pherson strut with Lower Transverse link, coil spring           Rear         Twist beam suspension with coil spring twin tube; Telescopic shock absorber           BRAKE         Disc           Front         Dirun           WHEELS AND TYRES         VIVID AND TYRES           Type size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES         Vivid Lingth (mm)           Overall width (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673	STEERING					
Mac Pherson strut with Lower Transverse link, coil spring			Power Stor	ring		
Front         Mac Pherson strut with Lower Transverse link, coil spring           Rear         Twist beam suspension with coil spring twin tube; Telescopic shock absorber           BRAKE           Front         Disc           Rear         Drum           WHEELS AND TYRES           Tyre size         215/65 R16 (RXE & RXL)           Wheel irm size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall with (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673			rower stee	inig		
Rear         Twist beam suspension with coil spring twin tube; Telescopic shock absorber           BRAKE         Disc           Pront         Disc           Rear         Drum           WHEELS AND TYRES         Tyre size           Eyes size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES         34329           Overall length (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673						
BRAKE           Front         Disc           Rear         Drum           WHEELS AND TYRES           Tyre size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673	ront	Mac Phe	rson strut with Lower	Transverse link, coil spring	]	
Front         Disc           Rear         Drum           WHEELS AND TYRES           Tyre size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673	Rear	Twist beam suspen	sion with coil spring t	win tube; Telescopic shock	absorber	
Front         Disc           Rear         Drum           WHEELS AND TYRES           Yer size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673	BRAKE					
Rear         Drum           WHEELS AND TYRES         215/65 R16 (RXE & RXL)           Yer size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES         34329           Overall leight (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673			Diec			
WHEELS AND TYRES           Eye size         215/65 R16 (RXE & RXL)           Wheel im size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES         4329           Overall leight (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673						
Eyer size         215/65 R16 (RXE & RXL)           Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673			Drum			
Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall with (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673	WHEELS AND TYRES					
Wheel rim size         215/60 R17 (RXT & PLATINE)           DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673	Tyre size		215/65 R16 (R)	(E & RXL)		
DIMENSIONS AND CAPACITIES           Overall length (mm)         4329           Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673	<u>,                                      </u>					
Overall length (mm)     4329       Overall width (mm)     1813       Overall height (mm)     1619       Wheelbase (mm)     2673			213/00 K17 (RX1	a realine)		
Overall width (mm)         1813           Overall height (mm)         1619           Wheelbase (mm)         2673						
Overall height (mm)         1619           Wheelbase (mm)         2673	Overall length (mm)		4329			
Overall height (mm)         1619           Wheelbase (mm)         2673	Overall width (mm)		1813			
Wheelbase (mm) 2673			1619			
	wneelbase (mm)		20/3			

To know more, visit: www.renault.co.in | Call: 1800 300 44444 | SMS 'CAPTUR' to 53030

\*Anodized Rouge Passion interior deco accents for Cayenne Orange & Mahogany Brown body colours. Blue Pacifique interior deco accents for Pearl White, Moonlight Silver, Planet Grey body colours. #Type approved test value (declared and verified) as per rule 115(f) of cmvr 1989.

5.2

50

210 (unladen)

392, expandable to 1352 litres

Every precaution has been taken to ensure that this publication is accurate and up to date on the date it is printed. This document has been created on the basis of pilot lots and prototypes. As part of its ongoing product improvement policy, Renault India Pvt. Ltd. reserves the right to modify the specifications, vehicles and accessories described and shown at any time. Such modifications are communicated to Renault dealers as quickly as possible. Depending on the country of sale, certain versions may differ and certain equipment may be unavailable (as standard, optional or accessory). Please contact your nearest dealer for the latest information. Due to printing limitations, the colours that appear in this document may differ slightly from the actual paint or upholstery colours. All rights reserved. The reproduction in any format and by any means of all or part of this publication without prior written authorisation from Renault is prohibited.

Minimum turning radius (m)

Fuel tank capacity (litres)

Ground clearance (mm)

Boot space (litres)

#### Monotone



PLATINE	RXT	RXL	RXE

MOONLIGHT SILVER BODY & ROOF



